

Apr 11th, 8:30 AM - 11:30 AM

# Characterization of CotJC Spore Protein in *Bacillus anthracis*

Morgan Nall  
*Louisiana Tech University*

Josh Samuel  
*Louisiana Tech University*

Rebecca Giorno  
*Louisiana Tech University*

Follow this and additional works at: <https://digitalcommons.latech.edu/ans-research-symposium>

---

## Recommended Citation

Nall, Morgan; Samuel, Josh; and Giorno, Rebecca, "Characterization of CotJC Spore Protein in *Bacillus anthracis*" (2019). *ANS Research Symposium*. 12.  
<https://digitalcommons.latech.edu/ans-research-symposium/2019/poster-presentations/12>

This Event is brought to you for free and open access by the Conferences and Symposia at Louisiana Tech Digital Commons. It has been accepted for inclusion in ANS Research Symposium by an authorized administrator of Louisiana Tech Digital Commons. For more information, please contact [digitalcommons@latech.edu](mailto:digitalcommons@latech.edu).

## Characterization of CotJC Spore Protein in *Bacillus anthracis*

Morgan Nall<sup>1</sup>, Josh Samuel, Rebecca Giorno<sup>2</sup>

<sup>1</sup>MSNT Masters Student, Louisiana Tech University

<sup>2</sup>Associate Professor, Biological Sciences, Louisiana Tech University

---

*Bacillus anthracis* is a spore forming bacteria that is responsible for anthrax disease. We are interested in the roles of the outermost layers, the coat, interspace, and exosporium, with respect to resistance and germination. Previously, we have shown that *cotH* spores germinate more completely than wild-type (WT). We have also shown that *cotH* mutant spores are missing proteins in addition to CotH. One of these possible CotH assembly-dependent proteins is CotJC. We have constructed a strain of *B. anthracis* that expresses green fluorescent protein attached to CotJC (CotJC-GFP). We monitored the expression and assembly of CotJC-GFP in both WT and *cotH* backgrounds. Fluorescent microscopic examination of spores suggests that CotJC-GFP assembly is CotH dependent. We are currently in the process of constructing a marker-less *cotJC* deletion in *B. anthracis*. Once isolated, we will measure the germination rates of the WT, *cotH*, and *cotJC* mutant spores. Our goal is to clarify if CotJC contributes to the *cotH* mutant enhanced germination phenotype.